

Notice of Allowability

Application No.

09/810,518

Examiner

Russell Frejd

Applicant(s)

YONEZAWA ET AL.

Art Unit

2128

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to applicant's paper received on 6-February-2004.
2. ☒ The allowed claim(s) is/are 1-15.
3. ☒ The drawings filed on 22 August 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 3 Total
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Russell Frejd
RUSSELL FREJD
PRIMARY EXAMINER

In re Application of: Yonezawa et al.

Allowance of Application # 09/810,518

1. The following communication is in response to applicant's filing on 19-March-2001.

Examiner's Amendment

2. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee.

2.1 In the Claims:

claim 15 line 2 Change "of the LSI that the LSI" to --of the LSI so that the LSI--.

Reasons for Allowance

3. The following is an Examiner's Statement of Reasons for the indication of allowable subject matter. The instant application is directed to a non-obvious improvement over the invention described in U.S. Patent No. 5,974,247, issued to Yonezawa on 26-October-1999. The improvement comprises an apparatus and method for calculating an aging deterioration margin amount of a LSI for calculating an aging deterioration margin amount to be included as a design tolerance with respect to a predetermined property of the LSI, so that the LSI can operate even if the property deteriorates, wherein the invention generates a beginning-of-life before deterioration property, an end-of-life after deterioration property, a property deterioration degree

In re Application of: Yonezawa et al.

as a ratio of the property after deterioration to the property before deterioration, and an aging deterioration margin amount based on the before deterioration property and the property deterioration degree. This patentable distinction is included in each of the independent claims, nos. 1 and 13-15. The art of record, either individually or in combination, fails to teach, suggest, or render obvious the useful, concrete and tangible < calculation of an aging deterioration margin amount of a LSI for calculating an aging deterioration margin amount to be included as a design tolerance with respect to a predetermined property of the LSI > having the corresponding structure which is disclosed in the specification and equivalents thereof. In view of the foregoing, the claims of the present application are found to be patentable over the prior art.

Response Guidelines

4. Any comments considered necessary by applicant **MUST** be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should clearly be labeled "Comments on Statement of Reasons for Allowance".

5. **Any response to the Examiner in regard to this allowance should be**

directed to: Russell Frejd, telephone number (703) 305-4839, Monday-Friday from 0630 to 1500 ET, **or** the examiner's supervisor, Kevin Teska, telephone number (703) 305-9704. Any inquiry of a general nature should be directed to the Tech Center 2100 receptionist, telephone number (703) 305-3900. The TC 2100 Customer Service telephone number is (703) 306-5631.

mailed to: Commissioner of Patents and Trademarks
Washington, D.C. 20231

or faxed to: (703) 872-9306

BEST AVAILABLE COPY

Serial Number: 09/810,518

Page 3

In re Application of: Yonezawa et al.

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA., Fourth Floor (Receptionist).

Date: 25-June-2004

RUSSELL FREJD

RUSSELL FREJD
PRIMARY EXAMINER

BEST AVAILABLE COPY